	Application No.	Applicant(s)
Notice of Allowability	10/608,126	AOI, NOBUO
	Examiner	Art Unit
	DUNG A LE	2818
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communicat GHTS. This application is subjection.	application. If not included ion will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-14</u> .		
3. The drawings filed on 30 June 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. <u>09/492,349</u>. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATÉ" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indica such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 30/6/2003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summa Paper No./Mail I 98), 7. ☐ Examiner's Amer	Date
		DUNG A LE Primary Examiner Art Unit: 2818

DETAILED ACTION

Priority

Acknowledge is made of applicants' claim for foreign priority base on an

application 11-17910 filed in Japan on 11/27/1999.

It is noted that Applicants have not filled a certified copy of said application as

required by U.S.C 119. The certified priority document was filed in the Patent Serial

Number 6387824.

Oath/Declaration

The oath/declaration filed on 6/30/2003 is acceptable.

Information Disclosure Statement

This office acknowledges of the following items from the Applicant:

Information Disclosure Statement (IDS) filed on 6/30/2003 and made of record.

The references cited on the PTOL 1449 form have been considered.

Specification

Art Unit: 2818

The specification has been checked to the extent necessary to determine the presence of all possible minor errors. However, the applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Reason for allowance

Claims 1-14 are allowed. The following is an examiner's statement of reason for allowance: None of the references of record teaches or suggests the claimed wiring structure with a second interlayer dielectric formed on first interlayer dielectric and having a wire groove, second interlayer dielectric been composed of a porours film having a relatively high porosity and among other limitations as claimed in independent claim 1. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dung A. Le whose telephone number is (571) 272-1784. The examiner can normally be reached on Monday-Tuesday and Thursday 6:00am- 4:00 pm.

Application/Control Number: 10/608,126 Page 4

Art Unit: 2818

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571) 272-1787. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for After Final communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DUNG A. LE Primary Examiner Art Unit 2818